

OPERATIONAL ADVISORY: WEST SIDE (Maumee/NEXUS) REQUIREMENTS: February 3, 2021

Based on its most recent weather forecast, Dominion Energy Ohio (DEO) currently projects that nominations to its West Side receipt points from ANR Pipeline, Panhandle Eastern Pipeline (MAUMEE) and NEXUS Gas Transmission may not be sufficient to meet anticipated customer requirements for February 3, 2021 (gas day 03).

DEO is posting this Operational Advisory to inform customers and suppliers that they may be required to increase west side deliveries in accordance with DEO's General Terms and Conditions of Transportation Service and provisions set forth in the System Operational Update and Review document posted on DEO's EBB.

The document can be found at:

[dekaflowldc.dominionenergy.com](http://dekaflowldc.dominionenergy.com)

Click on DOMINION ENERGY OHIO

Click on DOCUMENTATION

Refer to the file DEO Updated System Operational Review dated January 30, 2020

If the temperature forecasts do not change, DEO will issue a point specific Operational Flow Order (OFO) for increased west side supply requirements and customer/marketer specific west side supply requirements will be available on the OFO window in DekaFlow.

Please contact the Transportation Services department at [EOG\\_TRANS\\_SERV@dominionenergy.com](mailto:EOG_TRANS_SERV@dominionenergy.com) with any questions.